

Revision date:

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to Regulation (EC) No. 453/2010

Date of issue: 11/06/2014

Product identifier 1.1. Product form : Mixture Trade name : P&G Professional FLASH Disinfecting Toilet Bowl Cleaner Product code : PA00185363 Product group : Trade product Relevant identified uses of the substance or mixture and uses advised against 1.2. **Relevant identified uses** 1.2.1. : Professional use Main use category Function or use category : Washing and cleaning products (including solvent based products), Biocidal products (e.g. Disinfectants, pest control) 1.2.2. Uses advised against No additional information available Details of the supplier of the safety data sheet 1.3. Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK Tel: 01932 896000 Fax: 01932 896200 Professional: customerservice@pgprof.com **Emergency telephone number** 1.4. : (UK) Emergency Tel: 0800 328 8304(IRL) Emergency Tel: 1800 509 497 Emergency number SECTION 2: Hazards identification **Classification of the substance or mixture** 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin Irrit. 2 H315 Eye Dam. 1 H318 Full text of H-phrases: see section 16 Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Xi: R36/38 Full text of R-phrases: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 22 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) : Danger Hazard statements (CLP) : H315 - Causes skin irritation H318 - Causes serious eye damage Precautionary statements (CLP) : P102 - Keep out of reach of children P101 - If medical advice is needed, have product container or label at hand P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P501 - Dispose of contents/container to an appropriate local waste system **Other hazards** 23 Other hazards not contributing to the : No presence of PBT and vPvB ingredients. classification

Version: 1.0

Safety Data Sheet according to Regulation (EC) No. 453/2010

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citric Acid	(CAS No) 5949-29-1 (EC no) 201-069-1	1 - 5	Xi; R36	Eye Irrit. 2, H319
Formic Acid	(CAS No) 64-18-6 (EC no) 200-579-1 (EC index no) 607-001-00-0	1 - 5	C; R35	Flam. Liq. 3, H226 Skin Corr. 1A, H314
C9-11 Pareth-8	(CAS No) 68439-46-3 (EC no) Polymer	1 - 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Lactic Acid	(CAS No) 79-33-4 (EC no) 201-196-2	1 - 5	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathin Call a POISON CENTER or doctor/physician if you feel unwell.		
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and before reuse. If skin irritation occurs: Get immediate medical advice/attention.		
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.	
First-aid measures after ingestion	: IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effect	cts, both acute and delayed	
Symptoms/injuries after inhalation	: Coughing. sneezing.	
Symptoms/injuries after skin contact	: Redness. Swelling. dryness. Itching.	
Symptoms/injuries after eye contact : Pain. Redness. Swelling.		
Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.		
4.3. Indication of any immediate medica	I attention and special treatment needed	

Refer to section 4.1.

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2.	Special hazards arising from the s	substance or mixture
Fire ha	zard	: No fire hazard. Non combustible.
Explosi	on hazard	: Product is not explosive.
Reactiv	ity	: No dangerous reactions known.
5.3.	Advice for firefighters	
Firefigh	ting instructions	: No specific firefighting instructions required.
Protect	on during firefighting	: In case of inadequate ventilation wear respiratory protection.
SECT	ION 6: Accidental release me	easures
SECT 6.1.	ION 6: Accidental release me Personal precautions, protective	easures equipment and emergency procedures
	Personal precautions, protective	
6.1. 6.1.1.		
6.1. 6.1.1. Protecti	Personal precautions, protective of For non-emergency personnel ve equipment	equipment and emergency procedures
6.1. 6.1.1. Protecti 6.1.2.	Personal precautions, protective of For non-emergency personnel	equipment and emergency procedures
6.1. 6.1.1. Protecti 6.1.2.	Personal precautions, protective of For non-emergency personnel ve equipment For emergency responders	equipment and emergency procedures : Wear suitable gloves and eye/face protection.
6.1. 6.1.1. Protecti 6.1.2. Protecti 6.2.	Personal precautions, protective of For non-emergency personnel ve equipment For emergency responders ve equipment Environmental precautions	equipment and emergency procedures : Wear suitable gloves and eye/face protection.
6.1. 6.1.1. Protecti 6.1.2. Protecti 6.2.	Personal precautions, protective of For non-emergency personnel ve equipment For emergency responders ve equipment Environmental precautions	equipment and emergency procedures : Wear suitable gloves and eye/face protection. : Wear suitable gloves and eye/face protection. after use. Prevent soil and water pollution. Prevent spreading in sewers.

Safety Data Sheet according to Regulation (EC) No. 453/2010

Methods	s for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.	
6.4.	Reference to other sections		
Refer to	Sections 8 and 13.		
SECT	ION 7: Handling and storage		
7.1.	Precautions for safe handling		
Precaut	ions for safe handling	: Avoid contact with eyes. Avoid contact with skin. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood.	
7.2.	Conditions for safe storage, include	ig any incompatibilities	
Storage	conditions	: Store in original container. Refer to section 10.	
Incompa	atible products	: Refer to section 10.	
Incompa	atible materials	: Not applicable.	
Prohibitions on mixed storage		: Not applicable.	
Storage	area	: Store in a cool area. Store in a dry area.	
7.3. Specific end use(s)			
Cleaning	g/washing agents and additives.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

8.1.1. **National limit values**

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Lactic Acid (79-33-4)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	592 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, oral	35.4 mg/kg bodyweight
Acute - local effects, inhalation	296 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	1.3 mg/l
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
Formic Acid (64-18-6)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	19 mg/m ³
Long-term - local effects, inhalation	9.5 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	9.5 mg/m³
Long-term - local effects, inhalation	3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l
PNEC aqua (marine water)	0.2 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	13.4 mg/kg dwt
PNEC sediment (marine water)	1.34 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	7.2 mg/l

8.2. **Exposure controls**

8.2.1. Appropriate engineering controls No additional information available :

Safety Data Sheet according to Regulation (EC) No. 453/2010

:	Not applicable.
:	Not applicable.
:	Not applicable.
:	Not applicable.
	::

8.2.3. Environmental exposure controls

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes	
Appearance	Liquid.			
Physical state	Liquid			
Colour	Coloured.			
Odour	pleasant (perfume).			
Odour threshold	No data available			
рН	2.20			
Melting point	No data available			
Freezing point	No data available			
Boiling point	No data available			
Flash point	No data available			
Relative evaporation rate (butylacetate=1)	No data available			
Flammability (solid, gas)	No data available			
Explosive limits	No data available			
Vapour pressure	No data available			
Relative density	No data available			
Solubility	Soluble in water.		·	
Log Pow	No data available			
Auto-ignition temperature	No data available			
Decomposition temperature	No data available			
Viscosity	200	сР		
Explosive properties	No additional information available			
Oxidising properties	No additional information available	No additional information available		

Other information 9.2.

No additional	information	available

SECTI	ON 10: Stability and reactivity		
10.1.	Reactivity		
No dang	No dangerous reactions known.		
10.2.	Chemical stability		
Stable ur	nder normal conditions.		
10.3.	Possibility of hazardous reactions		
Refer to	section 10.1 on Reactivity.		
10.4.	Conditions to avoid		
Not requ	ired for normal conditions of use.		
10.5.	Incompatible materials		
Not appli			
10.6.	Hazardous decomposition products		
None une	der normal use.		

Safety Data Sheet according to Regulation (EC) No. 453/2010

ccording to Regulation (EC) No. 453/2010	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
P&G Professional FLASH Disinfecting Toile	t Bowl Cleaner
LD50 oral calculated	> 2000 mg/kg
Lactic Acid (79-33-4)	
LD50 oral rat	3543 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 7.94 mg/l/4h OECD 403
C9-11 Pareth-8 (68439-46-3)	500 malla baduusiaht
ATE CLP (oral)	500 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation. pH: 2.20
Serious eye damage/irritation	: Causes serious eye damage. pH: 2.20
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
•	. Nationalized
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	Irritation: moderately irritating to eyes. Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Mutagenicity: based upon available data of the substances, classification criteria are not met. Irritation: moderately irritating to skin. Repeated Dose Toxicity: based upon available data of the substances; classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met.
Other information	: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Lactic Acid (79-33-4)	
LC50 fishes 1	130 mg/l Oncorhynchus mykiss
EC50 Daphnia 1	130 mg/l OECD 202; Daphnia magna
EC50 other aquatic organisms 1	> 100 mg/l OECD 209
ErC50 (algae)	> 2800 mg/l OECD 201; Pseudokirchnerella subcapitata
NOEC chronic algae	1900 mg/l OECD 201; Pseudokirchnerella subcapitata
Formic Acid (64-18-6)	
LC50 fishes 1	46.7 (46 - 100) mg/l Leuciscus idus melanotus
LC50 fishes 1 LC50 other aquatic organisms 1	46.7 (46 - 100) mg/l Leuciscus idus melanotus 46.7 mg/l Pseudomonas putida
LC50 other aquatic organisms 1	46.7 mg/l Pseudomonas putida
LC50 other aquatic organisms 1 EC50 Daphnia 1	46.7 mg/l Pseudomonas putida 120 mg/l Daphnia magna

12.2. Persistence and degradability

Lactic Acid (79-33-4)	
BOD (% of ThOD)	67 % ThOD

Safety Data Sheet according to Regulation (EC) No. 453/2010

Formic Acid (64-18-6)		
Biodegradation	100 % OECD 301 C	
12.3. Bioaccumulative potential		
Lactic Acid (79-33-4)		
Bioconcentration factor (BCF REACH)	-0.65	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
Formic Acid (64-18-6)		
Log Pow	-1.9	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
12.4. Mobility in soil		
Lactic Acid (79-33-4)		
Mobility in soil	< 20.9	
Formic Acid (64-18-6)		
Log Koc	< 17.8 OECD 121	
12.5. Results of PBT and vPvB assessment		
P&G Professional FLASH Disinfecting Toilet I		
Results of PBT assessment	No presence of PBT and vPvB ingredients	
Component		
Lactic Acid (79-33-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Formic Acid (64-18-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
12.6. Other adverse effects		
Other information	No other effects known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
13.1.1. Regional legislation (waste)	: Disposal must be done according to official regulations.	
13.1.2 Disposal recommendations	 The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging. 	
13.1.3 EURAL Waste code product	 20 01 29* - detergents containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances 	
SECTION 14: Transport information		
14.1. UN number		
Not applicable		
14.2. UN proper shipping name		
Not applicable		
14.3. Transport hazard class(es)		
Not applicable		
14.4. Packing group		
Not applicable		
14.5. Environmental hazards		
Not applicable		
14.6. Special precautions for user		
Not applicable 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		
SECTION 15: Regulatory information		
Ingredient label	- <5% Non-ionic surfactants; Perfumes, Disinfectants.	

15.1. Safety, health and environme	ntal regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
No REACH Annex XVII restrictions	
Contains no substance on the REACH car	ndidate list
CESIO recommendations	
	: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteri as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
15.1.2. National regulations No additional information available	
15.2. Chemical safety assessment	
No chemical safety assessment has been	n carried out
SECTION 16: Other information	
16.1. Indication of changes	
Indication of changes	· Not applicable
indication of changes	: Not applicable
16.2. Abbreviations and acronyms	
No additional information available	
16.3. Classification and procedure	used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]
Classification according to Regulation	
Skin Irrit. 2	Calculation method
Eye Dam. 1	Calculation method
16.4. Relevant R-phrases and/or H-	
	-statements (number and full text) for mixture and substances
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 4 (Oral) Eye Dam. 1	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes skin irritation
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye damage
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye damage Causes serious eye irritation
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye irritation Harmful if swallowed
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye damage Causes serious eye irritation
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye irritation Harmful if swallowed Causes serious eye turitation Causes serious eye turitation Causes serious eye turitation Harmful if swallowed Causes serious eye irritation Harmful if swallowed Irritating to eyes
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye damage Causes serious eye irritation Harmful if swallowed Causes serious eye irritation Harmful if swallowed Causes serious eye irritation
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36 R36 R36/38	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye tirritation Harmful if swallowed Causes serious eye admage Causes serious eye admage Irritation Irritating to eyes Irritating to eyes and skin
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36 R36 R36 R38	Acute toxicity (oral), Category 4Serious eye damage/eye irritation, Category 1Serious eye damage/eye irritation, Category 2Flammable liquids, Category 3Skin corrosion/irritation, Category 1ASkin corrosion/irritation, Category 2Flammable liquid and vapourHarmful if swallowedCauses severe skin burns and eye damageCauses serious eye irritationCauses serious eye irritationLarmful if swallowedCauses serious eye irritationCauses serious eye irritationLarmful if swallowedCauses serious eye irritationHarmful if swallowedIrritating to eyesIrritating to eyesIrritating to eyes and skinIrritating to skin
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36 R36 R36/38 R38 R41	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye atmage Causes serious eye atmage Irritating to eyes Irritating to eyes and skin Irritating to skin Risk of serious damage to eyes
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36 R36 R36/38 R38 R41 C	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye anage Causes serious eye anage Causes serious eye anage Causes serious eye irritation Harmful if swallowed Causes serious eye irritation Irritating to eyes Irritating to eyes Irritating to eyes and skin Irritating to skin Risk of serious damage to eyes Corrosive
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36 R36 R36 R38 R41 C Xi Xn	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye damage Causes serious eye irritation Harmful if swallowed Causes serious eye atmage Causes serious eye atmage Causes serious eye atmage Irritating to eyes Irritating to eyes Irritating to skin Risk of serious damage to eyes Corrosive Irritant
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Skin Corr. 1A Skin Irrit. 2 H226 H302 H314 H315 H318 H319 R22 R35 R36 R36 R36 R36/38 R38 R41 C Xi Xn	Acute toxicity (oral), Category 4 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 3 Skin corrosion/irritation, Category 1A Skin corrosion/irritation, Category 2 Flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage Causes serious eye damage Causes serious eye irritation Harmful if swallowed Causes serious eye atmage Causes serious eye atmage Causes serious eye atmage Irritating to eyes Irritating to eyes Irritating to skin Risk of serious damage to eyes Corrosive Irritant

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product