



Oxivir Sporicide

Revision: 2021-07-11

Version: 02.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Oxivir Sporicide

UFI: 6AQ2-T0CV-C00V-8MQ4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:

Surface disinfectant.
Hard surface cleaner.
for general surface disinfection.
for cleaning of medical devices.
for disinfection of medical devices.
For professional use only.

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_10_2
AISE_SWED_PW_11_2
AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315)
Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H315 + H319 - Causes skin and serious eye irritation.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

Oxivir Sporicide

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
hydrogen peroxide	231-765-0	7722-84-1	[6]	Ox. Liq. 1 (H271) Skin Corr. 1A (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT SE 3 (H335) Aquatic Chronic 3 (H412)		3-10
benzyl alcohol	202-859-9	100-51-6	01-2119492630-38	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Eye Irrit. 2 (H319)		3-10
glycolic acid	201-180-5	79-14-1	[6]	Skin Corr. 1B (H314) Acute Tox. 4 (H332) Eye Dam. 1 (H318)		0.1-1

Specific concentration limits

hydrogen peroxide:

- Ox. Liq. 1 (H271) >= 70% > Ox. Liq. 2 (H272) >= 50%
- Eye Dam. 1 (H318) >= 8% > Eye Irrit. 2 (H319) >= 5%
- Skin Corr. 1A (H314) >= 70% > Skin Corr. 1A (H314) >= 60% > Skin Corr. 1B (H314) >= 50% > Skin Irrit. 2 (H315) >= 35%
- STOT SE 3 (H335) >= 35%
- Aquatic Chronic 3 (H412) >= 63%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

Skin contact:

Take off immediately all contaminated clothing and wash it before reuse.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes irritation.

Eye contact:

Causes severe irritation.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled

Oxivir Sporicide

materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
hydrogen peroxide	1 ppm 1.4 mg/m ³	2 ppm 2.8 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
hydrogen peroxide	-	-	-	-
benzyl alcohol	-	25	-	5
glycolic acid	-	-	-	0.75

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
hydrogen peroxide	-	-	-	-
benzyl alcohol	-	47	-	9.5
glycolic acid	-	-	-	57.69

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
hydrogen peroxide	-	-	-	-
benzyl alcohol	-	29	-	5.7
glycolic acid	-	-	-	28.85

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
---------------	--------------------	-----------------------	-------------------	----------------------

Oxivir Sporicide

	effects	effects	effects	effects
hydrogen peroxide	3	-	1.4	-
benzyl alcohol	-	450	-	90
glycolic acid	9.2	9.2	1.53	10.56

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
hydrogen peroxide	1.93	-	0.21	-
benzyl alcohol	-	40	-	8.11
glycolic acid	-	2.3	2.3	2.6

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
hydrogen peroxide	0.0126	0.0126	0.0138	4.66
benzyl alcohol	1	0.1	2.3	39
glycolic acid	0.0312	0.0031	0.312	7

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
hydrogen peroxide	0.047	0.047	0.0023	-
benzyl alcohol	5.27	0.527	0.456	-
glycolic acid	0.115	0.0115	0.007	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: Provide a good standard of general ventilation.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Trigger spray application	AISE_SWED_PW_11_2	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
 Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
 In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

Oxivir Sporicide

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid**Colour:** Clear , Colourless**Odour:** Product specific**Odour threshold:** Not applicable**Melting point/freezing point (°C):** Not determined**Initial boiling point and boiling range (°C):** Not determined**Method / remark**

Not relevant to classification of this product

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
hydrogen peroxide	150.2	Method not given	
benzyl alcohol	205	Method not given	1013
glycolic acid	112	Method not given	1013

Method / remark**Flammability (solid, gas):** Not applicable to liquids**Flammability (liquid):** Not flammable.**Flash point (°C):** > 93 °C

closed cup

Sustained combustion: Not applicable.*(UN Manual of Tests and Criteria, section 32, L.2)***Lower and upper explosion limit/flammability limit (%):** Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
benzyl alcohol	1.3	13

Method / remark**Autoignition temperature:** Not determined**Decomposition temperature:** Not applicable.**pH:** ≈ 3 (neat)

ISO 4316

Kinematic viscosity: ≈ 0 mPa.s (20 °C)**Solubility in / Miscibility with Water:** Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
hydrogen peroxide	1000	Method not given	20
benzyl alcohol	40	Method not given	20
glycolic acid	> 300	Method not given	22

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
hydrogen peroxide	214	Method not given	20
benzyl alcohol	22	Method not given	20
glycolic acid	0.41	Method not given	25

Method / remark**Relative density:** ≈ 1.03 (20 °C)

OECD 109 (EU A.3)

Relative vapour density: No data available.

Not relevant to classification of this product

Particle characteristics: No data available.

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.**Oxidising properties:** Not oxidising.**Corrosion to metals:** Not corrosive

Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

Oxivir Sporicide

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

ATE - Inhalatory, vapours (mg/l): >20

160

Skin irritation and corrosivity

Result: Skin irritant 2

Method: Human experience

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
hydrogen peroxide	LD ₅₀	> 300-2000	Rat	Weight of evidence		17000
benzyl alcohol	LD ₅₀	1230	Rat	Method not given		15000
glycolic acid	LD ₅₀	2040	Rat	EPA OPP 81-1		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
hydrogen peroxide	LD ₅₀	> 2000	Rabbit	Substance was tested as 35 % aqueous solution		Not established
benzyl alcohol	LD ₅₀	> 2000	Rabbit	Method not given		Not established
glycolic acid		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrogen peroxide	LC ₀	No mortality observed	Rat	Method not given	4
benzyl alcohol	LC ₅₀	> 4 (mist)	Rat	OECD 403 (EU B.2)	4
glycolic acid	LC ₅₀	3.6 (mist) (dust)	Rat	OECD 403 (EU B.2)	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
hydrogen peroxide	Not established	Not established	150	Not established
benzyl alcohol	Not established	120	Not established	Not established
glycolic acid	Not established	150	Not established	Not established

Oxivir Sporicide

--	--	--	--	--

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
hydrogen peroxide	Corrosive	Rabbit	Method not given	
benzyl alcohol	No data available			
glycolic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
hydrogen peroxide	Corrosive	Rabbit	Method not given	
benzyl alcohol	Irritant		Method not given	
glycolic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
hydrogen peroxide	Irritating to respiratory tract		Method not given	
benzyl alcohol	No data available			
glycolic acid	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
hydrogen peroxide	Not sensitising	Guinea pig	Method not given	
benzyl alcohol	Not sensitising		Method not given	
glycolic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
hydrogen peroxide	No data available			
benzyl alcohol	Not sensitising			
glycolic acid	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
hydrogen peroxide	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	Method not given
benzyl alcohol	No data available		No data available	
glycolic acid	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476	No evidence for mutagenicity No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
hydrogen peroxide	No evidence for carcinogenicity, negative test results
benzyl alcohol	No data available
glycolic acid	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
hydrogen peroxide			No data available				No evidence for reproductive toxicity
benzyl alcohol			No data available				
glycolic acid			No data available				No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
hydrogen peroxide	NOAEL	100	Mouse	OECD 408 (EU B.26)	90	
benzyl alcohol		No data				

Oxivir Sporicide

		available				
glycolic acid	NOAEL LOAEL	150 300	Rat	OECD 408 (EU B.26)	90	No adverse effects observed

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
hydrogen peroxide		No data available				
benzyl alcohol		No data available				
glycolic acid		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
hydrogen peroxide	NOAEL	7	Mouse	OECD 413 (EU B.29)	28	
benzyl alcohol		No data available				
glycolic acid		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
hydrogen peroxide			No data available					
benzyl alcohol			No data available					
glycolic acid			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
hydrogen peroxide	No data available
benzyl alcohol	Not applicable
glycolic acid	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
hydrogen peroxide	No data available
benzyl alcohol	Not applicable
glycolic acid	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

Oxivir Sporicide

hydrogen peroxide	LC ₅₀	16.4	<i>Pimephales promelas</i>	EPA-OPPTS 850.1075	96
benzyl alcohol	LC ₅₀	460	Fish	Method not given	96
glycolic acid	LC ₅₀	114.8	<i>Pimephales promelas</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrogen peroxide	EC ₅₀	2.4	<i>Daphnia pulex</i>	Method not given	48
benzyl alcohol	EC ₅₀	230	<i>Daphnia magna Straus</i>	Method not given	48
glycolic acid	EC ₅₀	99.6	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
hydrogen peroxide	EC ₅₀	1.38	<i>Chlorella vulgaris</i>	OECD 201 (EU C.3)	72
benzyl alcohol	EC ₅₀	640	<i>Scenedesmus quadricauda</i>	Method not given	96
glycolic acid	NOEC	14.4	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
hydrogen peroxide	ErC ₅₀	1.38	<i>Skeletonema costatum</i>	Method not given	72
benzyl alcohol		No data available			
glycolic acid		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
hydrogen peroxide	EC ₅₀	466	<i>Activated sludge</i>	Method not given	
benzyl alcohol		No data available			
glycolic acid		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
hydrogen peroxide	NOEC	4.3	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
benzyl alcohol		No data available				
glycolic acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
hydrogen peroxide	NOEC	1	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
benzyl alcohol		No data available				
glycolic acid		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
hydrogen peroxide		No data available				
benzyl alcohol		No data available				
glycolic acid		No data available				

Oxivir Sporicide

		available				
--	--	-----------	--	--	--	--

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
hydrogen peroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
hydrogen peroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
hydrogen peroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
hydrogen peroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
hydrogen peroxide		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
hydrogen peroxide	24 hour(s)	Method not given	OH radical	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
hydrogen peroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
hydrogen peroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
hydrogen peroxide	Activated sludge, aerobe	Specific analysis (primary degradation)	> 50 % in < 1 day(s)		Not applicable (inorganic substance)
benzyl alcohol		Method not given	95 - 97% % in 21 day(s)	Method not given	Readily biodegradable
glycolic acid	Activated sludge, aerobe	CO ₂ production	78% in 11 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
hydrogen peroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical	DT ₅₀	Method	Evaluation
---------------	---------------	------------	------------------	--------	------------

Oxivir Sporicide

	method			
hydrogen peroxide				No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
hydrogen peroxide	-1.57		No bioaccumulation expected	
benzyl alcohol	1.05	Method not given	Low potential for bioaccumulation	
glycolic acid	-1.07	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
hydrogen peroxide	No data available				
benzyl alcohol	No data available			Low potential for bioaccumulation	
glycolic acid	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
hydrogen peroxide	2				Mobile in soil
benzyl alcohol	No data available				Potential for mobility in soil, soluble in water
glycolic acid	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Non-dangerous goods**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

• Regulation (EC) No. 1907/2006 - REACH

Oxivir Sporicide

- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- Directive 93/42/EEC on medical devices
- Regulation (EU) No 528/2012 on biocidal products
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants

< 5 %

Benzyl Alcohol, disinfectants

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1002759

Version: 02.3

Revision: 2021-07-11

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 4, 7, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H271 - May cause fire or explosion; strong oxidiser.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The International Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organization for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet