

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Taski Sani Des QS W9a

Revision: 2018-01-25 **Version:** 04.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Sani Des QS W9a

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P314 - Surface disinfectant. Manual process

AISE-P315 - Surface disinfectant. Spray and rinse manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains alkyldimethylbenzylammoniumchloride (Cocoalkonium Chloride). EUH208: benzyl salicylate (Benzyl Salicylate)

Hazard statements:

H314 - Causes severe skin burns and eye damage.

EUH208 - May produce an allergic reaction.

H410 - Very toxic to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyldimethylbenzylammoniumchloride	270-325-2	68424-85-1	No data available	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		3-10
alkyl alcohol ethoxylate	Polymer*	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		1-3
benzyl salicylate	204-262-9	118-58-1	No data available	Skin Sens. 1B (H317) Aquatic Chronic 2 (H411)		0.1-1

^{*} Polymer.

- For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

 Workplace exposure limit(s), if available, are listed in subsection 8.1.

 [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.
- [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
- [3] Exempted: Annex V of Regulation (EC) No 1907/2006.
- [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off Skin contact:

immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, Eye contact:

if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

physician.

Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Ingestion:

Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eve contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyldimethylbenzylammoniumchloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
benzyl salicylate	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

DNLL definal exposure - Worker				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyldimethylbenzylammoniumchloride	-	-	-	5.7
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-
benzvl salicylate	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyldimethylbenzylammoniumchloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-
benzyl salicylate	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyldimethylbenzylammoniumchloride	-	-	-	3.96
alkyl alcohol ethoxylate	-	-	-	No data available
sodium carbonate	-	-	10	-
benzyl salicylate	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyldimethylbenzylammoniumchloride	•	-	-	1.64
alkyl alcohol ethoxylate	No data available	No data available	-	-
sodium carbonate	10	-	-	-
benzyl salicylate	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyldimethylbenzylammoniumchloride	0.0009	0.00009	0.00016	0.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
benzyl salicylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyldimethylbenzylammoniumchloride	0.267	0.0267	7	-
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
benzyl salicylate	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is Eye / face protection:

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min

Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may **Body protection:** occur (EN 14605).

No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (%): 2

Provide a good standard of general ventilation. Appropriate engineering controls:

Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

Respiratory protection:

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product.

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Hand protection:

No special requirements under normal use conditions. **Body protection:** Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid Colour: Clear, Red Odour: Slightly perfumed Odour threshold: Not applicable

pH: ≈ 11 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyldimethylbenzylammoniumchloride	> 107	Method not given	
alkyl alcohol ethoxylate	> 200	Method not given	
sodium carbonate	1600	Method not given	1013
benzyl salicylate	No data available		

Method / remark

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
alkyldimethylbenzylammoniumchloride	-	-

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
alkyldimethylbenzylammoniumchloride	2300	Method not given	20
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
sodium carbonate	Negligible		
benzyl salicylate	No data available		

Method / remark

Vapour density: Not determined Relative density: ≈ 1.05 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyldimethylbenzylammoniumchloride	Soluble	Method not given	
alkyl alcohol ethoxylate	Soluble	Method not given	20
sodium carbonate	210-215	Method not given	20
benzyl salicylate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3 $\,$

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Corrosive

Not relevant to classification of this product

Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity					
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	LD 50	398	Rat		
alkyl alcohol ethoxylate	LD 50	> 300 - 2000	Rat	OECD 423 (EU B.1 tris)	
sodium carbonate	LD 50	2800	Rat	Method not given	
benzyl salicylate		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	LD 50	800 - 1420	Rat	Method not given	
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given	
sodium carbonate	LD 50	> 2000	Rabbit	Method not given	
benzyl salicylate		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride		No data available			time (ii)
alkyl alcohol ethoxylate		No data available			
sodium carbonate	LC 50	2.3 (dust)	Rat	OECD 403 (EU B.2)	2
benzyl salicylate		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	Corrosive		Method not given	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium carbonate	Not irritant	Rabbit	Method not given	
benzyl salicylate	No data available			

Lye irritation and corrosivity	y
	Inare

Evo irritation and correctivity

Ingredient(s)	Result	Species	Method	Exposure time

alkyldimethylbenzylammoniumchloride	Severe damage		Method not given	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
sodium carbonate	Irritant	Rabbit	Method not given	
benzyl salicylate	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
benzyl salicylate	No data available			

Sensitisation Sensitisation by skin contact

ochishisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	Not sensitising		Method not given	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
sodium carbonate	Not sensitising		Method not given	
benzyl salicylate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
benzyl salicylate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Matagernerty				
Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
alkyldimethylbenzylammoniumchloride	No evidence for mutagenicity, negative	OECD 471 (EU	No data available	
	test results	B.12/13)		
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative	Method not	No evidence of genotoxicity, negative	Method not
	test results	given	test results	given
sodium carbonate	No data available		No data available	
benzyl salicylate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
benzyl salicylate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyldimethylbenzylam moniumchloride			No data available				
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
sodium carbonate			No data available				
benzyl salicylate			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alkyldimethylbenzylammoniumchloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium carbonate		No data				
		available				
benzyl salicylate		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyldimethylbenzylammoniumchloride		No data				

	available		
alkyl alcohol ethoxylate	No data		
	available		
sodium carbonate	No data		
	available		
benzyl salicylate	No data		
	available		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
benzyl salicylate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyldimethylbenzylam moniumchloride			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
sodium carbonate			No data available					
benzyl salicylate	·		No data available					

STOT-single exposure

	Ingredient(s)	Affected organ(s)
	alkyldimethylbenzylammoniumchloride	No data available
	alkyl alcohol ethoxylate	Not applicable
ſ	sodium carbonate	No data available
ſ	benzyl salicylate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available
benzyl salicylate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	LC 50	> 0.1-1	Fish	Method not given	96
alkyl alcohol ethoxylate	LC 50	1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
benzyl salicylate		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	EC 50	0.02	Daphnia	Method not given	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia	OECD 202, static	48

			magna Straus		
sodium carbonate	EC 50	265	Daphnia	Method not given	96
			magna Straus		
benzyl salicylate		No data			
		available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	EC 50	0.06	Pseudokirchner iella subcapitata	OECD 201 (EU C.3)	96
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
sodium carbonate		No data available			-
benzyl salicylate		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyldimethylbenzylammoniumchloride		No data available			-
alkyl alcohol ethoxylate		No data available			-
sodium carbonate		No data available			-
benzyl salicylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyldimethylbenzylammoniumchloride	EC 20	10	Activated sludge	OECD 209	0.5 hour(s)
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
sodium carbonate		No data available			
benzyl salicylate		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
alkyldimethylbenzylammoniumchloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium carbonate		No data				
		available				
benzyl salicylate		No data				
• •		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
benzyl salicylate		No data				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data			-	
		available				
alkyl alcohol ethoxylate		No data			-	
		available				
sodium carbonate		No data			-	
		available				
benzyl salicylate		No data				
		available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida		-	
sodium carbonate		No data available			-	

Terrestrial toxicity - plants if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208	-	
sodium carbonate		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	

refrestrial toxicity - soil bacteria, il available:					_	
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
• ,,		(mg/kg dw	•		time (days)	
					lillic (days)	
		soil)				
alkyldimethylbenzylammoniumchloride		No data			-	
		available				
alkyl alcohol ethoxylate		No data			-	
		available				
sodium carbonate		No data			-	
		available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available Rapidly hydrolysible			

Abiotic degradation - other processes, if available:

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
alkyldimethylbenzylammoniumchloride		Oxygen depletion	> 60%	Read across	Readily biodegradable
alkyl alcohol ethoxylate		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
benzyl salicylate				OECD 301F	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyldimethylbenzylammoniumchloride	0.5 - 1.58	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available		No bioaccumulation expected	
benzyl salicylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyldimethylbenzylam	0.5		Method not given	No bioaccumulation expected	
moniumchloride					
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
benzyl salicylate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyldimethylbenzylammoniumchloride	No data available				
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
benzyl salicylate	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 3267

14.2 UN proper shipping name:

Corrosive liquid, basic, organic, n.o.s. (trisodium citrate, alkyldimethylbenzylammoniumchloride)

14.3 Transport hazard class(es):

Class: 8 Label(s): 8

14.4 Packing group: ||| 14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C7
Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EU) No 528/2012 on biocidal products
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No. 648/2004 Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants

5 - 15%

disinfectants, perfumes, Benzyl Salicylate, Hexyl Cinnamal, Butylphenyl Methylpropional,

Limonene, Alpha-Isomethyl Ionone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7393 Version: 04.1 Revision: 2018-01-25

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed.
- · H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
- · H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- · H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

End of Safety Data Sheet