

SAFETY DATA SHEET Janitol Original

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Janitol Original

Product number JAN60O, JAN76V, JAN84U

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

+44 (0) 1773 855100 info.prouk@scj.com

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Janitol Original

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

Contains BENZENE SULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS,

ISOTRIDECANOL, ETHOXYLATED 6.5 MOL EO

Detergent labelling 5 - < 15% phosphates, < 5% anionic surfactants, < 5% non-ionic surfactants

Supplementary precautionary

P264 Wash hands thoroughly after handling.

statements P362+P364 Take off contaminated clothing and wash it before reuse.

P310 Immediately call a POISON CENTER/ doctor.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TETRAPOTASSIUM PYROPHOSPHATE 1-10%

CAS number: 7320-34-5 EC number: 230-785-7 REACH registration number: 01-

2119489369-18-xxxx

Classification

Eye Irrit. 2 - H319

BENZENE SULPHONIC ACID , C10-13-ALKYL DERIVS.,

1-10%

SODIUM SALTS

CAS number: 68411-30-3 EC number: 270-115-0 REACH registration number: 01-

2119489428-22-XXXX

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

ISOTRIDECANOL, ETHOXYLATED 6.5 MOL EO

1-10%

CAS number: 69011-36-5 EC number: 931-138-8 REACH registration number: 01-

2119976362-32-XXXX

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Janitol Original

ARYL ETHER PHOSPHATE ESTER, POTASSIUM SALT

1-10%

CAS number: 72283-31-9

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Not relevant. Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water or use an approved skin cleanser.

Eye contact Remove any contact lenses and open eyelids wide apart. Important! Immediately rinse with

water for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion No specific symptoms known.

Skin contact This product is moderately irritating.

Eye contact Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with

eyes.

6.2. Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used.

6.3. Methods and material for containment and cleaning up

Janitol Original

Methods for cleaning up Flush away spillage with plenty of water. Avoid contamination of ponds or watercourses with

washing down water. Absorb spillage with non-combustible, absorbent material. Do not

discharge into drains or watercourses or onto the ground.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 0°C and 30°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments None.

TETRAPOTASSIUM PYROPHOSPHATE (CAS: 7320-34-5)

DNEL Professional - Inhalation; Long term systemic effects: 44.08 mg/m³

Consumer - Inhalation; Long term systemic effects: 10.87 mg/m³

PNEC - marine water; 0.005 mg/l

Fresh water; 0.5 mg/lFresh water; 0.05 mg/l

- STP; 50 mg/l

BENZENE SULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (CAS: 68411-30-3)

DNEL Workers - Inhalation; Long term systemic effects: 12 mg/m³

Workers - Inhalation; Long term local effects: 12 mg/m³
Workers - Dermal; Long term systemic effects: 170 mg/kg/day
General population - Inhalation; Long term systemic effects: 3 mg/m³
General population - Inhalation; Long term local effects: 3 mg/m³
General population - Oral; Long term systemic effects: 0.85 mg/kg/day

PNEC - Fresh water; 0.268 mg/l

- marine water; 0.0268 mg/l

- Intermittent release; 0.0167 mg/l

- STP; 3.43 mg/l

- Sediment (Freshwater); 8.1 mg/kg

- marine water; 8.1 mg/kg

- Soil; 35 mg/kg

ISOTRIDECANOL, ETHOXYLATED 6.5 MOL EO (CAS: 69011-36-5)

Janitol Original

DNEL Workers - Inhalation; Long term systemic effects: 294 mg/m³

Workers - Dermal; Long term systemic effects: 2080 mg/kg

General population - Inhalation; Long term systemic effects: 87 mg/m³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC - Fresh water; 0.074 mg/l

- marine water; 0.0074 mg/l - Intermittent release; 0.015 mg/l

- STP; 1.4 mg/l

Sediment (Freshwater); 0.604 mg/kgSediment (Marinewater); 0.0604 mg/kg

- Soil; 0.1 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering

controls

Not relevant.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection The most suitable glove should be chosen in consultation with the glove

supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard

EN374. The selected gloves should have a breakthrough time of at least 8 hours.

Hygiene measures Wash hands after contact.

Respiratory protection Not relevant.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Yellow.

Odour Characteristic.

Odour threshold Not determined.

pH (concentrated solution): 10-10.5

Melting point Not determined.

Initial boiling point and range Not determined.

Flash point Not determined.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Scientifically unjustified.

Vapour pressure Not determined.

Vapour density Not determined.

Janitol Original

Relative density 1.06-1.1 @ 25C°C

Solubility(ies) Soluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Scientifically unjustified.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Scientifically unjustified.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not known.

10.4. Conditions to avoid

Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 34,181.54

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Janitol Original

Respiratory sensitisationBased on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivoDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity -Does not contain any substances known to be toxic to reproduction.

development

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact May cause serious eye damage.

Toxicological information on ingredients.

TETRAPOTASSIUM PYROPHOSPHATE

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2.0

mg/kg)

Species Rabbit

Skin corrosion/irritation

Animal data Primary dermal irritation index: 0

Skin sensitisation

Skin sensitisation - Mouse: Not sensitising.

BENZENE SULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Acute toxicity - oral

Acute toxicity oral (LD₅o

1,080.0

mg/kg)

Species Rat

ATE oral (mg/kg) 1,080.0

Acute toxicity - dermal

Janitol Original

Notes (dermal LD50) LD50 >2000 mg/Kg bw RAT

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Endpoint waived according to REACH Annex VII, IX or XI.

Skin corrosion/irritation

Animal data Dose: 2.17, 72 hours, Rabbit

Serious eye damage/irritation

Serious eye H318 REACH dossier information.

damage/irritation

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitroGene mutation: Negative.

Genotoxicity - in vivo Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity Endpoint waived according to REACH Annex VII, IX or XI.

Reproductive toxicity

Reproductive toxicity -

- NOAEL 350 mg/kg/day, Oral, Rat F2a

fertility

Reproductive toxicity -

development

Maternal toxicity:, Teratogenicity: - NOAEL: 300 mg/kg, Oral,

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

ISOTRIDECANOL, ETHOXYLATED 6.5 MOL EO

Acute toxicity - oral

Notes (oral LD₅o) LD50 >2000 mg/Kg Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rat

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

TETRAPOTASSIUM PYROPHOSPHATE

Janitol Original

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 100 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 100 mg/l,

BENZENE SULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 1.67 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

LC₅₀, 192 hour: 0.96 mg/l, Hyalella azteca

Acute toxicity - aquatic

plants

NOEC, 72 hour: 2.4 mg/l, Scenedesmus subspicatus

Acute toxicity -

microorganisms

Scientifically unjustified.

Acute toxicity - terrestrial LC₅₀, 14 day: >1000 mg/kg, Eisenia Fetida (Earthworm)

Chronic aquatic toxicity

Chronic toxicity - fish early NOEC, 90 day: 0.25 mg/l, Tilapia mossambica

life stage

Short term toxicity -

NOEC, 72 days: 0.23 mg/l, Oncorhynchus mykiss (Rainbow trout)

embryo and sac fry stages

Chronic toxicity - aquatic invertebrates

LC₅₀, 21 day: 1.18 mg/l, Daphnia magna

Toxicity to soil Scientifically unjustified.

Toxicity to terrestrial plants EC10 B.Rapa 86mg/Kg A.Sativa 80mg/Kg S.alba 200 mg/Kg

ISOTRIDECANOL, ETHOXYLATED 6.5 MOL EO

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1-10 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >1-10 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: >1-10 mg/l, Algae

Acute toxicity -

microorganisms

EC₅₀, >: 10000,

Acute toxicity - terrestrial LC₅₀, > 14 days: 1000 mg/kg, Eisenia Fetida (Earthworm)

ARYL ETHER PHOSPHATE ESTER, POTASSIUM SALT

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Fish

Janitol Original

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. No specific disposal method required. Reuse or recycle

products wherever possible.

SECTION 14: Transport information

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

Air transport notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Janitol Original

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

monded

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have

been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments Revision of information NOTE: Lines within the margin indicate significant changes from the

previous revision.

Revision date 10/07/2019

Revision 8

Supersedes date 05/12/2018

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Notes for Hazard Statements

in Full

The full text for Hazard Statements in section 16 relates to the reference numbers in sections

2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.