

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 24/09/2015 Revision date: 27/06/2017

Version: 1.4

:

U	
SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: Ariel Professional System - S5 White Wash Stainbuster
Product code	: PA00184159
Product group	: Trade product
1.2. Relevant identified uses of th	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Function or use category	: Washing and cleaning products (including solvent based products), Biocidal products (e.g. Disinfectants, pest control)
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	safety data sheet
Procter & Gamble UK Brooklands, Weybr	ridge, Surrey, KT13 0XP, UK
Tel: 01932 896000 Fax: 01932 896200	
Professional: customerservice@pgprof.co	m
1.4. Emergency telephone number	er de la companya de
Emergency number	: (UK) Emergency Tel: 0800 328 8304(IRL) Emergency Tel: 1800 509 497
SECTION 2: Hazards identificat	tion
2.1. Classification of the substance	
Classification according to Regulation	(EC) No. 1272/2008 [CLP]
Met. Corr. 1 H290	(EC) No. 1272/2008 [CLP]
Met. Corr. 1 H290 Skin Irrit. 2 H315	(EC) No. 1272/2008 [CLP]
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319	
Met. Corr. 1 H290 Skin Irrit. 2 H315	
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319	ents : see section 16
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-stateme Adverse physicochemical, human head	ents : see section 16
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements	ents : see section 16 Ith and environmental effects
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	ents : see section 16 Ith and environmental effects
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements	ents : see section 16 Ith and environmental effects
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	ents : see section 16 Ith and environmental effects
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	ents : see section 16 Ith and environmental effects No. 1272/2008 [CLP] : : : Danger : H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	ents : see section 16 Ith and environmental effects No. 1272/2008 [CLP]
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	ents : see section 16 Ith and environmental effects No. 1272/2008 [CLP] : : : Danger : H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H410 - Very toxic to aquatic life with long lasting effects : P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P260 - Do not breathe vapours P273 - Avoid release to the environment P280 - Wear protective gloves and eye protection
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	ents : see section 16 Ith and environmental effects No. 1272/2008 [CLP] : : : : : : : : : : : : :
Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of hazard classes and H-statemer Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	ents : see section 16 Ith and environmental effects No. 1272/2008 [CLP]

Safety Data Sheet

according to Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the classification

: No presence of PBT and vPvB ingredients.

SECTION 3:	Composition/info	ormation on ir	ngredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Hypochlorite	(CAS No) 7681-52-9 (EC No) 231-668-3 (REACH-no) 01-2119488154-34	5 - 10	Met. Corr. 1, H290 Acute Tox. Not classified (Inhalation:vapour) Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of Water. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Discontinue use of product.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after inhalation	: Coughing. sneezing.
Symptoms/effects after skin contact	: Redness. Swelling. dryness. Itching.
Symptoms/effects after eye contact	: Severe pain. Redness. Swelling. Blurred vision.
Symptoms/effects after ingestion	: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhea.
4.3. Indication of any immediate medic	al attention and special treatment needed
Refer to section 4.1.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: No fire hazard. Non combustible.
Explosion hazard	: Product is not explosive.
Reactivity	: Reacts with (some) acids/bases: release of (highly) toxic gases/vapours. If the product is involved in a fire, it can release toxic chlorine gases.
5.3. Advice for firefighters	
Firefighting instructions	: No specific firefighting instructions required.
Protection during firefighting	: In case of inadequate ventilation wear respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	guipment and emergency procedures
General measures	: Do not bring in contact with acids. Do not use metal containers.
	: Do not bring in contact with acids. Do not use metal containers.
General measures 6.1.1. For non-emergency personnel Protective equipment	 Do not bring in contact with acids. Do not use metal containers. Wear suitable gloves and eye/face protection.

: Wear suitable gloves and eye/face protection.

Environmental precautions

6.2.

Safety Data Sheet

according to Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up			
For containment	: Scoop absorbed substance into closing containers. Do not use metal containers.		
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.		
Other information	Do not bring in contact with acids.		
6.4. Reference to other sections			
Refer to Sections 8 and 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Avoid contact with eyes. Avoid contact with skin. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store in original container. Refer to section 10.		
Incompatible products	: Refer to section 10.		
Incompatible materials	: metals. acids. Reacts with (some) acids: release of (highly) toxic gases/vapours (chlorine). May be corrosive to metals.		
Information on mixed storage	: Keep only in the original container in a cool, well-ventilated place away from (strong) acids.		
Storage area	: Store in a cool area. Store in a dry area.		
7.3. Specific end use(s)			
Refer to section 1.2.			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

Ariel Professional System - S5 White Wash Stainbuster		
United Kingdom	WEL STEL (mg/m ³)	1.5 mg/m ³
United Kingdom	WEL STEL (ppm)	0.5 ppm

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

3.1 mg/m³ 3.1 mg/m³
-
3.1 ma/m³
1.55 mg/m³
1.55 mg/m³
3.1 mg/m ³
3.1 mg/m ³
0.26 mg/kg bodyweight/day
1.55 mg/m³
1.55 mg/m³
0.00021 mg/l
0.000042 mg/l
0.00026 mg/l
4.69 mg/l

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protective equipment

Protective personal equipment only required in case of professional use or for large packs (not for household packs). For consumer use please follow recommendation as indicated on the label of the product.

Hand protection	:	Wear suitable gloves.
Eye protection	:	Wear eye/face protection.
Skin and body protection	:	Wear suitable gloves.

:

:

Safety Data Sheet

according to Regulation (EU) 2015/830

Respiratory protection

Not applicable.

8.2.3. Environmental exposure controls

Prevent that the undiluted product reaches surface waters.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes	
Appearance	Liquid.			
Physical state	Liquid			
Colour	Coloured.			
Odour	odourless.			
Odour threshold		ppm	Perceived odor at typical use conditions	
рН	≥ 10.5			
Melting point		°C	Not available. This property is not relevant for the safety and classification of this product	
Freezing point			Not available. This property is not relevant for the safety and classification of this product	
Boiling point	No data available			
Flash point	No data available			
Relative evaporation rate (butylacetate=1)			Not available. This property is not relevant for the safety and classification of this product	
Flammability (solid, gas)			Not applicable. This property is not relevant for liquid product forms	
Explosive limits		g/m³	Not available. This property is not relevant for the safety and classification of this product	
Vapour pressure			Not available. This property is not relevant for the safety and classification of this product	
Relative density	1.112 - 1.22			
Solubility	Soluble in water.			
Log Pow			Not applicable. This property is not relevant for mixtures	
Auto-ignition temperature			Not available. This property is not relevant for the safety and classification of this product	
Decomposition temperature		°C	Not available. This property is not relevant for the safety and classification of this product	
Viscosity	1	cP		
Explosive properties		Not applicable. This product is not classified as explosive as it does not contain any substances which possesses explosive properties CLP (Art 14 (2)).		
Oxidising properties	Not applicable. This produ substances which possess		oxidizing as it does not contain any es CLP (Art 14 (2)).	

9.2. Other information

No additional information available

SECTION 10:	Stability	and reactivity	/

10.1. Reactivity

Reacts with (some) acids/bases: release of (highly) toxic gases/vapours. If the product is involved in a fire, it can release toxic chlorine gases.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EU) 2015/830

Refer to section 10.1 on Reactivity.					
of (highly) toxic gases/vapours (chlorine). May be corrosive to metals.					
on					
itainbuster					
Not classified (*)					
Causes skin irritation.					
Causes serious eye irritation.					
Not classified (*)					
Not classified (*)					
Not classified (*)					
Not classified (*)					
Not classified (*)					

(*) Based upon available data of the substances and/or the product, product classification criteria are not met. See Section 2 and Section 16 for applicable hazard classification and classification procedure, respectively.

11.1.2. Substances in the mixture

Acute toxicity:

Sodium Hypochlorite (7681-52-9)

	 •	
LD50 dermal rabbit		> 20000 mg/kg bw (//OECD 402)

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Sodium Hypochlorite (7681-52-9)		
LC50 fishes 1	0.032 mg/l Coho salmon; 96 h	
LC50 other aquatic organisms 1	77.1 mg/l OECD 209; 3 h	
EC50 Daphnia 1	0.035 mg/l OECD 202; Ceriodaphnia dubia; 48 h	
ErC50 (algae)	0.0365 mg/l OECD 201; Pseudokirchneriella subcapitata; 72 h	
NOEC (chronic)	41.1 mg/l OECD 209; 3 h	
NOEC chronic fish	0.04 mg/l Menidia peninsulae; 28 d	
NOEC chronic crustacea	0.007 mg/l	
NOEC chronic algae	0.0054 mg/l OECD 201; Pseudokirchneriella subcapitata; 3 d	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Sodium Hypochlorite (7681-52-9)		
Log Pow	-342	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
12.4. Mobility in soil		

12.4. Mobility in soil No additional information available

12.5.	Results of PBT and vPvB assessment	t
Ariel Professional System - S5 White Wash Stainbuster		
Results	s of PBT assessment	No presence of PBT and vPvB ingredients

Safety Data Sheet according to Regulation (EU) 2015/830

Component			
Sodium Hypochlorite (7681-52-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects			
Other information	: Toxic to aquatic organisms.		
SECTION 13: Disposal consideration	ons		
13.1. Waste treatment methods			
13.1.1. Regional legislation (waste)	: Disposal must be done according to official regulations.		
13.1.2 Disposal recommendations	The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kep separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. Fo handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.		
13.1.3 EURAL Waste code product	: 20 01 29* - detergents containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances		
SECTION 14: Transport information	n		
14.1. UN number			
UN-No	: 1791		
UN-No. (ICAO)	: 1791		
14.2. UN proper shipping name			
Proper Shipping Name	: HYPOCHLORITE SOLUTION		
Transport document description (ADR)	: UN 1791 HYPOCHLORITE SOLUTION, 8, III, (E), ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard class(es)			
Class (UN)	: 8		
Class (ICAO)	: 8 - Corrosive substances		
Danger labels (UN)	: 8		
14.4. Packing group			
Packing group (UN)	: III		
14.5. Environmental hazards			
Dangerous for the environment Marine pollutant			
Other information	 No supplementary information available. 		
14.6. Special precautions for user			
14.6.1. Overland transport			
Transport regulations (RID)	Subject to the provisions		
State during transport (ADR-RID) : as liquid			
Hazard identification number (Kemler No.)			
Classification code (UN)	: C9		
Orange plates	¹ 80 1791		
Special provisions (ADR)	: 521		
Transport category (ADR)	: 3		
Tunnel restriction code	: E		
Limited quantities (ADR)	: 51		
Excepted quantities (ADR)	: E1		
27/06/2017	EN (English) 6/8		

Safety Data Sheet

according to Regulation (EU) 2015/830

EAC code	: 2X
14.6.2. Transport by sea	
Transport regulations (IMDG)	: Subject to the provisions
EmS-No. (1)	: F-A
EmS-No. (2)	: S-B
14.6.3. Air transport	
Transport regulations (IATA)	: Subject to the provisions
14.7. Transport in bulk according to An	nex II of MARPOL and the IBC Code
Not applicable	
SECTION 15: Regulatory informati	on
ngredient label	: 5-15% Chlorine-based bleaching agents; Disinfectants.
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no REACH substances with Annex X	VII restrictions
	ate list
Contains no substance on the REACH candid Contains no REACH Annex XIV substances	ate list
Contains no substance on the REACH candid	 The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. **Chemical safety assessment**

No chemical safety assessment has been carried out		
SECTION 16: Other information		
16.1. Indication of changes		
Indication of changes	: Change in SECTION 8: Exposure controls/personal protection Change in SECTION 12: Ecological information Change in SECTION 15: Regulatory information Change in SECTION 16: Other information	

16.2. Abbreviations and acronyms

LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC(s): Predicted No Effect Concentration(s). vPvB: Very Persistent and Very Bioaccumulative. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate. DNEL: Derived-No Effect Level. OEL: Occupational Exposure Limit. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]			
Classification according to Regulation (EC) N	lo. 1272/2008 [CLP]	classification procedure	
Skin Irrit. 2		Calculation method	
Eye Irrit. 2		Calculation method	
16.4. Relevant R-phrases and/or H-stateme	ents (number and full	text) for mixture and substances	
Acute Tox. Not classified (Inhalation:vapour)	Acute toxicity (inhala	tion:vapour) Not classified	
Aquatic Acute 1	Hazardous to the aqu	uatic environment — AcuteHazard, Category 1	
Aquatic Chronic 1	Hazardous to the aqu	uatic environment — Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage	/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage	/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals,	Category 1	
Skin Corr. 1B	Skin corrosion/irritation	on, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation	on, Category 2	
STOT SE 3	Specific target organ	toxicity — Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet

according to Regulation (EU) 2015/830

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
EUH031	Contact with acids liberates toxic gas

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex V

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product