



Printing date 14.09.2018 Revision: 13.09.2018

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: V-AIR SOLID PLUS OCEAN SPRAY
- · Article number: VA-18-026-VSP
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Air Freshener
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Vectair Systems Ltd Unit 3 Trident Centre

Armstrong Road

Basingstoke, Hampshire

RG24 8NU United Kingdom

emea. in fo@vectair systems. com

- · Further information obtainable from: Product safety department.
- **Emergency telephone number:** +44 (0) 1256-319500

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

4-tert-butylcyclohexyl acetate

alpha-Hexylcinnamaldehyde

Eucalyptus Oil (Eucalyptus Globulus Labille)

alpha-iso-Methylionone

 $1\hbox{-}(1,2,3,4,5,6,7,8\hbox{-}Octahydro-2,3,8,8\hbox{-}tetramethyl-2\hbox{-}naphthalenyl) ethan one and the state of the$

Linalool

Benzyl salicylate

p-t-Butyl-alpha-methylhydrocinnamic aldehyde

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

(Contd. of page 1)

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol	<i>≥</i> 2.5-<10%
CAS: 32210-23-4 EINECS: 250-954-9	4-tert-butylcyclohexyl acetate	<i>≥</i> 2.5-<10%
CAS: 88917-22-0 ELINCS: 406-880-6	Dipropylene glycol monomethyl ether acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥0.1-≤2.5%
CAS: 21145-77-7 EINECS: 216-133-4	6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	≥0.25-<2.5%
CAS: 101-86-0 EINECS: 202-983-3	alpha-Hexylcinnamaldehyde Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 8000-48-4 EINECS: 283-406-2	Eucalyptus Oil (Eucalyptus Globulus Labille) Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%
CAS: 127-51-5 EINECS: 204-846-3	alpha-iso-Methylionone Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%
CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)	≥0.25-<1%
CAS: 78-70-6 EINECS: 201-134-4	Linalool ◆ Skin Sens. 1, H317	≥0.1-<1%
CAS: 118-58-1 EINECS: 204-262-9	Benzyl salicylate Aquatic Chronic 2, H411; Skin Sens. 1, H317	≥0.1-<0.25%
CAS: 80-54-6 EINECS: 201-289-8	p-t-Butyl-alpha-methylhydrocinnamic aldehyde ♠ Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.1-<1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical		

· General Information	
· Appearance:	
Form:	SEMI-SOLID
Colour:	Light blue
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	Undetermined.

· Information on basic physical and chemical properties

· Flash point: >100 °C

Initial boiling point and boiling range: >100 °C

Flammability (solid, gas): Not determined.
 Ignition temperature: 371 °C

• Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

(Contd. on page 5)

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

		(Contd. of page
· Vapour pressure at 20 °C:	<2 hPa	
· Density at 20 °C:	>1 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	8.2 %	
Water:	10.6 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es relevant for classification:
<i>57-55-6</i>	Propyl	lene glycol
Oral	LD50	30,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)
32210-2	3-4 4-t	ert-butylcyclohexyl acetate
Oral	LD50	5,000 mg/kg (rat)
21145-7	7-7 6- A	Acetyl-1,1,2,4,4,7-hexamethyltetraline
Oral	LD50	920 mg/kg (rat)
Dermal	<i>LD50</i>	7,940 mg/kg (rat)
101-86-0	0 alpha	
Oral	LD50	2,300 mg/kg (mouse)
		3,100 mg/kg (rat)
8000-48	-4 Euc	alyptus Oil (Eucalyptus Globulus Labille)
Oral	LD50	2,480 mg/kg (rat)
Dermal	LD50	2,480 mg/kg (rabbit)
		(Contd. on page 6

page o

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

		(Contd. of page 5)
	-	t-iso-Methylionone
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
	•	1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
78-70-6	Linalo	ol
		2,790 mg/kg (rat)
		5,610 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.
- · Additional Information:

Empty container and removable plastic components should be recycled or placed in waste in accordance with local regulation.

· Ecology – waste materials: Avoid release to the environment, waste can be hazardous due to toxicity.

GE

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

(Contd. of page 6)

UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

(Contd. on page 8)

Printing date 14.09.2018 Revision: 13.09.2018

Trade name: V-AIR SOLID PLUS - OCEAN SPRAY

(Contd. of page 7)

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3