SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

CAUSTIC SODA

Revision 2 Revision date 2015-09-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name CAUSTIC SODA					
1.3. Details of the supplier of the	safety data sheet				
Company	Active Brand Concepts Ltd				
Address	The Forge				
	Crewe Hall Farm				
	Crewe				
XX7 1	CW1 5UE				
Web	www.homecareproducts.co.uk				
Telephone	0844 335 0816				
Fax	0844 335 0854				
Email	sales@active-brand-concepts.com				
Email address of the	sales@active-brand-concepts.com				
competent person					
Local Supplier					
Company	Bulk Products Ltd				
Address	Unit 2 Marshfield Bank				
	Middlewich Road				
	Crewe				
	CW2 8UY				
	United Kingdom				
Web	www.homecareproducts.co.uk				
Telephone	0844 335 0816				
Fax	0844 335 0854				
Email	sales@active-brand-concepts.com				
Email address of the	sales@active-brand-concepts.com				
competent person					
1.4. Emergency telephone numbe	1.4. Emergency telephone number				
Emergency telephone number	08443350816				
Company	James Sharpe				
	8.30 - 5				
SECTION 2: Hazards identif	ication				
2.1. Classification of the substance or mixture					

EUH210; Met. Corr. 1: H290; Skin Corr. 1A: H314; Aquatic Chronic 3: H412;

C; R35

Symbols: C: Corrosive.

Causes severe burns.

2.1.1. Classification - 1999/45/LC

2.1.2. Classification - EC

Main hazards

1272/2008

Revision

Revision date 2015-09-09

2.2. Label elements

Hazard pictograms	
Signal Word	Danger

Hazard Statement

Precautionary Statement:

Prevention

Precautionary Statement:

Response

EUH210 - Safety data sheet available on request.

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

P234 - Keep only in original container.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling. P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.

P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.

Precautionary Statement:

Storage

Precautionary Statement:

Disposal

P405 - Store locked up.

P406 - Store in corrosive resistant/ container with a resistant inner liner.

P501 - Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

ĺ	Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc. Classification M-factor	or.
ı					Number	(%w/w)	
ſ	temp_Sodium Hydroxide (Sodium		1310-73-2	215-185-5		90 - 100% C; R35	
١	hydroxide)						

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc. Classification	M-factor.
				Number	(%w/w)	
temp_Sodium Hydroxide (Sodium		1310-73-2	215-185-5		90 - 100% Met. Corr. 1: H290; Skin Corr.	
hydroxide)					1C: H314; Aquatic Chronic 3:	
					H412;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek	
	medical attention.	
Eye contact	Causes burns. Seek medical attention.	
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated	
	clothing. Seek medical attention if irritation or symptoms persist.	
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek	
	medical advice immediately and show this container or label.	

SECTION 5: Firefighting measures

Revision 2
Revision date 2015-09-09

5.1. Extinguishing media				
	Use as appropriate: Carbon dioxide (CO2), Da	ry chemical, Foam.		
5.2. Special hazards arising from	the substance or mixture			
	Corrosive. Burning produces irritating, toxic a	and obnoxious fumes.		
5.3. Advice for firefighters				
	Wear suitable respiratory equipment when ne	ecessary.		
SECTION 6: Accidental re	elease measures			
6.1. Personal precautions, protect	ive equipment and emergency procedures			
	Avoid raising dust. Ensure adequate ventilation area. Wear suitable protective equipment.	on of the working area. Evacuate personnel to a safe		
6.2. Environmental precautions				
	Do not allow product to enter drains. Prevent	further spillage if safe.		
6.3. Methods and material for con	ntainment and cleaning up			
	Avoid raising dust. Sweep up. Transfer to suit	table, labelled containers for disposal.		
SECTION 7: Handling and	l storage			
7.1. Precautions for safe handling	-			
	Avoid contact with eyes and skin. Ensure adeq	quate ventilation of the working area.		
7.2. Conditions for safe storage, in	ncluding any incompatibilities	_		
	Keep in a cool, dry, well ventilated area. Keep	containers tightly closed.		
SECTION 8: Exposure cor	ntrols/personal protection			
8.1. Control parameters	1 1			
8.1.1. Exposure Limit Values				
CAUSTIC SODA (Sodium	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -		
hydroxide)	••			
	WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total =	WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total		
	inhalable dust:	inhalable dust:		
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total		
	respirable dust:	respirable dust:		
8.2. Exposure controls				
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working ar	rea.		
8.2.2. Individual protection	Wear chemical protective clothing.			
measures	The chemical protective civiling.			
Eye / face protection	Approved safety goggles.			
Skin protection -	Chemical resistant gloves (PVC).			
Handprotection Pospiratory protection	Wear:. Self-contained breathing apparatus.			
Respiratory protection				
SECTION 9: Physical and	chemical properties			

9.1. Information on basic physical and chemical properties

Revision

Revision date 2015-09-09

9.1. Information on basic physical and chemical properties

Appearance Pellets Colour White Odour Slight pH > 11.5 Melting point 318 Initial boiling point 1390 Relative density 2.13 Solubility Soluble in water

9.2. Other information

Bulk Density = 1.175 g/cm^3

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation Causes burns.

11.1.4. Toxicological Information

CAUSTIC SODA	Oral Rat LD50: 325 mg/kg			
temp_Sodium Hydroxide	Oral Rat LD50: 2000 mg/kg	Dermal Rabbit LD50: 500 mg/24h		

SECTION 12: Ecological information

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1823

14.2. UN proper shipping name

SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es)

ADR/RID	ð
Subsidiary risk	_
IMDG	8
Subsidiary risk	_
IATA	8

Revision 2
Revision date 2015-09-09

	Revision date 2013-07-07
14.3. Transport hazard class(es)	
Subsidiary risk	-
14.4. Packing group	
Packing group	II
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	863
Maximum quantity	50 kg
Packing Instruction	859
(Passenger)	
Maximum quantity	15 kg
SECTION 15: Regulatory in	formation

~= ~== ~=		~ .		
SECTION	16.	()ther	inform	nation

Other	inform	ation
-------	--------	-------

Other information	<u></u>		
Revision	This document differs from the previous version in the following areas:.		
	2 - 2.1. Classification of the substance or mixture.		
	2 - 2.1.2. Classification - EC 1272/2008.		
	2 - Hazard pictograms.		
	2 - Signal Word.		
	2 - Precautionary Statement: Prevention.		
	2 - Precautionary Statement: Response.		
	2 - Precautionary Statement: Storage.		
	2 - Precautionary Statement: Disposal.		
	9 - 9.1. Information on basic physical and chemical properties (Appearance).		
	9 - 9.1. Information on basic physical and chemical properties (Colour).		
	9 - 9.1. Information on basic physical and chemical properties (Odour).		
	9 - 9.1. Information on basic physical and chemical properties (PH).		
	9 - 9.1. Information on basic physical and chemical properties (Solubility).		
	9 - 9.2. Other information (Bulk Density).		
	12 - 12.1. Toxicity.		
	14 - ADR/RID.		
	14 - IMDG.		
	14 - IATA.		
	15 - Labelling.		
	15 - Risk phrases.		
	15 - Safety phrases.		
$\overset{ ext{Text of risk phrases in Section}}{3}$	R35 - Causes severe burns.		
Text of Hazard Statements in	Met. Corr. 1: H290 - May be corrosive to metals.		
Section 3	Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.		
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.		

Revision 2
Revision date 2015-09-09

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

