



Carefree Stripper

Revision: 2022-02-11

Version: 03.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Stripper

UFI: 09W6-30CW-3004-SFXT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor stripper.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_1_1
AISE_SWED_PW_8a_1
AISE_SWED_PW_10_2
AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314)
STOT SE 3 (H335)
Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide), 2-aminoethanol (Ethanolamine)

Hazard statements:

H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.

Precautionary statements:

P260 - Do not breathe vapours.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Carefree Stripper

Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		3-10
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
sodium cumenesulphonate	239-854-6	-	01-2119489411-37	Eye Irrit. 2 (H319)		1-3
2-butoxyethanol	203-905-0	111-76-2	01-2119475108-36	Acute Tox. 3 (H331) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		1-3
alkyl alcohol alkoxylate	[4]	196823-11-7	[4]	Eye Irrit. 2 (H319)		1-3

Specific concentration limits

sodium hydroxide:

- Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%
- Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

2-aminoethanol:

- STOT SE 3 (H335) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

May cause respiratory irritation.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

Carefree Stripper

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m ³
2-aminoethanol	1 ppm 2.5 mg/m ³	3 ppm 7.6 mg/m ³
2-butoxyethanol	25 ppm 123 mg/m ³	50 ppm 246 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic

Carefree Stripper

	effects	effects	effects	effects
sodium hydroxide	-	-	-	-
2-aminoethanol	-	-	-	3.75
sodium cumenesulphonate	-	-	-	3.8
2-butoxyethanol	-	26.7	-	6.3
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
2-aminoethanol	No data available	-	No data available	1
sodium cumenesulphonate	No data available	-	No data available	7.6
2-butoxyethanol	-	89	-	125
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
2-aminoethanol	No data available	-	No data available	0.24
sodium cumenesulphonate	No data available	-	No data available	3.8
2-butoxyethanol	-	89	-	75
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	3.3	-
sodium cumenesulphonate	-	-	-	53.6
2-butoxyethanol	246	1091	-	98
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	2	-
sodium cumenesulphonate	-	-	-	13.2
2-butoxyethanol	147	426	-	59
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.085	0.0085	0.025	100
sodium cumenesulphonate	0.23	0.023	2.3	100
2-butoxyethanol	8.8	0.88	9.1	463
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.434	0.0434	0.035	-
sodium cumenesulphonate	0.862	0.086	0.037	-
2-butoxyethanol	34.6	3.46	2.33	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Carefree Stripper

- Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.
- Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_1_1	PW	PROC 1	60	ERC8a

Personal protective equipment

- Eye / face protection:** Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
- Hand protection:** Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
- Body protection:** No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
- Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

- Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 20

- Appropriate engineering controls:** No special requirements under normal use conditions.
- Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Machine application	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a

Personal protective equipment

- Eye / face protection:** No special requirements under normal use conditions.
- Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
- Body protection:** No special requirements under normal use conditions.
- Respiratory protection:** No special requirements under normal use conditions.
- Environmental exposure controls:** No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Carefree Stripper

Physical state: Liquid
Colour: Clear , Blue
Odour: Product specific
Odour threshold: Not applicable
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Method / remark

Not relevant to classification of this product
 See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hydroxide	> 990	Method not given	
2-aminoethanol	169-171	Method not given	1013
sodium cumenesulphonate	> 100	Method not given	
2-butoxyethanol	168-172	Method not given	1013
alkyl alcohol alkoxylate	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
 (UN Manual of Tests and Criteria, section 32, L.2)
Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
2-aminoethanol	3.4	27
2-butoxyethanol	1.1	10.6

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: > 11 (neat)
Kinematic viscosity: Not determined
Solubility in / Miscibility with Water: Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20
2-aminoethanol	1000	Method not given	20
sodium cumenesulphonate	Soluble		
2-butoxyethanol	Soluble	Method not given	20
alkyl alcohol alkoxylate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
2-aminoethanol	50	Method not given	20
sodium cumenesulphonate	No data available		
2-butoxyethanol	89	Method not given	20
alkyl alcohol alkoxylate	No data available		

Method / remark

Relative density: ≈ 1.07 (20 °C)
Relative vapour density: No data available.
Particle characteristics: No data available.

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

Weight of evidence

Carefree Stripper

9.2.2 Other safety characteristics

Alkali reserve: \approx 6.9 (g NaOH / 100g; pH=10)**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide		No data available				Not established
2-aminoethanol	LD ₅₀	1089	Rat	OECD 401 (EU B.1)		10000
sodium cumenesulphonate	LD ₅₀	> 7000	Rat	Method not given		Not established
2-butoxyethanol	LD ₅₀	1746	Rat	ATE - Acute Toxicity Estimate		25000
alkyl alcohol alkoxyolate	LD ₅₀	> 2000-5000	Rat	OECD 423 (EU B.1 tris)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given		Not established
2-aminoethanol	LD ₅₀	2504	Rabbit	Method not given		22000
sodium cumenesulphonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
2-butoxyethanol	LD ₅₀	6411		Method not given		Not established
alkyl alcohol alkoxyolate		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
2-aminoethanol	LC ₅₀	> 1.4 No mortality observed	Rat	Method not given	4
sodium cumenesulphonate	LC ₅₀	> 770	Rat	Method not given	4
2-butoxyethanol	LC ₅₀	> 2 (mist) No	Rat	Method not given	4

Carefree Stripper

		mortality observed			
alkyl alcohol alkoxylate		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hydroxide	Not established	Not established	Not established	Not established
2-aminoethanol	Not established	Not established	150	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
2-butoxyethanol	Not established	Not established	150	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch test	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol alkoxylate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	No data available			
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carefree Stripper

2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
alkyl alcohol alkoxylate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
2-butoxyethanol	No evidence for carcinogenicity, negative test results
alkyl alcohol alkoxylate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline test		
2-butoxyethanol			No data available				
alkyl alcohol alkoxylate			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
sodium cumenesulphonate	NOAEL	763 - 3534		OECD 408 (EU B.26)	90	
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate	NOAEL	440	Mouse	Method not given	90	
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				

Carefree Stripper

alkyl alcohol alkoxylate		No data available			
--------------------------	--	-------------------	--	--	--

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
2-aminoethanol			No data available					
sodium cumenesulphonate	Dermal	NOAEL	727	Mouse	Method not given	24 month(s)		
2-butoxyethanol			No data available					
alkyl alcohol alkoxylate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	Respiratory tract
sodium cumenesulphonate	No data available
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	No data available
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96
2-aminoethanol	LC ₅₀	349	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sodium cumenesulphonate	LC ₅₀	> 1000	<i>Fish</i>	EPA-OPPTS 850.1075	96
2-butoxyethanol	LC ₅₀	> 100	<i>Oncorhynchus mykiss</i>	OECD 203, static	96
alkyl alcohol alkoxylate	LC ₅₀	> 1-10	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia</i>	Method not given	48

Carefree Stripper

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-aminoethanol	EC ₅₀	65	<i>Daphnia magna Straus</i>	OECD 202, static	48
sodium cumenesulphonate	EC ₅₀	> 1000	<i>Daphnia magna Straus</i>	EPA-OPPTS 850.1010	48
2-butoxyethanol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	OECD 202, static	48
alkyl alcohol alkoxylate	EC ₅₀	> 1-10	Not specified	79/831/EEC	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
2-aminoethanol	EC ₅₀	22		OECD 201 (EU C.3)	72
sodium cumenesulphonate	E _r C ₅₀	310	Not specified		72
2-butoxyethanol	EC ₅₀	> 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
alkyl alcohol alkoxylate	EC ₅₀	> 10-100	Not specified	DIN 38412, Part 9	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			
2-aminoethanol		No data available			
sodium cumenesulphonate		No data available			
2-butoxyethanol		No data available			
alkyl alcohol alkoxylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
2-aminoethanol	EC ₅₀	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	E _r C ₅₀	> 1000	Bacteria	OECD 209	3 hour(s)
2-butoxyethanol	EC ₀	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
alkyl alcohol alkoxylate	EC ₂₀	> 10	Activated sludge	OECD 209	30 minute(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
alkyl alcohol alkoxylate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
alkyl alcohol alkoxylate		No data available				

Carefree Stripper

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
sodium cumenesulphonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	
sodium cumenesulphonate	No data available			

Carefree Stripper

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			
sodium cumenesulphonate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			
sodium cumenesulphonate		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium cumenesulphonate	Activated sludge, aerobe	CO ₂ production	100 % in 28 day(s)	OECD 301B	Readily biodegradable
2-butoxyethanol		CO ₂ production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol alkoxylate		CO ₂ production	> 60 % in 28 day(s)	ISO 14593	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available
sodium cumenesulphonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available
sodium cumenesulphonate					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	Low potential for bioaccumulation	
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
alkyl alcohol alkoxylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
2-aminoethanol	No data available				
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				
alkyl alcohol alkoxylate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water

Carefree Stripper

alkyl alcohol alkoxyate	No data available			
-------------------------	-------------------	--	--	--

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 15* - alkalines.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:**ADR**

Classification code: C5

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

Carefree Stripper**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS8102

Version: 03.2

Revision: 2022-02-11

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s): 3, 4, 6, 7, 8, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H331 - Toxic if inhaled.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet