



SAFETY DATA SHEET CONTRACT CARPET FOAM SHAMPOO

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CONTRACT CARPET FOAM SHAMPOO

Product number B103

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Contract Carpet Foam Shampoo is a blend of neutral high foaming cleaning agents for use in carpet rotary and dry foam shampoo cleaning machines.

1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk
Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH

Telephone: 020 8974 1515
Fax: 020 8974 1511
sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

Human health Causes serious eye damage. Prolonged contact may cause redness, irritation and dry skin. Gas or vapour in high concentrations may irritate the respiratory system. Ingestion may cause: Nausea, vomiting. Diarrhoea.

Environmental The product is expected to be biodegradable.

2.2. Label elements

CONTRACT CARPET FOAM SHAMPOO**Pictogram****Signal word**

Danger

Hazard statements

H318 Causes serious eye damage.

EUH208 Contains Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

Precautionary statements

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Contains

Sulfuric acid, mono-C12-14 (even numbered) alkyl esters, ammonium salts, Sulfuric acid, C12-14-alkyl (even numbered) esters, sodium salts, Benzyl alcohol

Detergent labelling

5 - < 15% anionic surfactants, < 5% perfumes, < 5% phosphates, Contains DMDM Hydantoin, Iodopropynyl butylcarbamate, Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-Methylisothiazol-3(2H)-one (3:1)

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Sulfuric acid, mono-C12-14 (even numbered) alkyl esters, ammonium salts**

<5%

CAS number: —

EC number: 931-558-1

Classification

Met. Corr. 1 - H290

Acute Tox. 4 - H302

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Aquatic Chronic 3 - H412

Sulfuric acid, C12-14-alkyl (even numbered) esters, sodium salts

<5%

CAS number: 85586-07-8

EC number: 287-809-4

Classification

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Acute Tox. 4 - H302

CONTRACT CARPET FOAM SHAMPOO

| | |
|--|--|
| (2-Methoxymethylethoxy)propanol | 1-5% |
| CAS number: 34590-94-8 | EC number: 252-104-2 |
| | REACH registration number: 01-2119450011-60-XXXX |
| Substance with a Community workplace exposure limit. | |

| |
|---|
| Classification Not Classified |
|---|

| | |
|--|------------------------|
| Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one | <1% |
| CAS number: 55965-84-9 | |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |

| |
|--|
| Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 |
|--|

| | |
|----------------------|----------------------|
| Heptan-2-one | <0.0001% |
| CAS number: 110-43-0 | EC number: 203-767-1 |

| |
|--|
| Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H332 STOT SE 3 - H336 |
|--|

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. |
| Ingestion | Give plenty of water to drink. Rinse mouth thoroughly with water. Get medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting. |
| Skin contact | Rinse immediately with plenty of water. Get medical attention if irritation persists after washing. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------|---|
| Ingestion | May cause discomfort if swallowed. Nausea, vomiting. Diarrhoea. |
|------------------|---|

CONTRACT CARPET FOAM SHAMPOO

Skin contact Prolonged or repeated exposure may cause the following adverse effects: skin irritation and dermatitis.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with the following media: Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Sulphur dioxide. Sulphuric acid (H₂SO₄).

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Store at temperatures between 5°C and 30°C. Store above freezing.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

CONTRACT CARPET FOAM SHAMPOO

Occupational exposure limits

(2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³
Sk

Heptan-2-one

Long-term exposure limit (8-hour TWA): WEL 50 ppm 237 mg/m³
Short-term exposure limit (15-minute): WEL 100 ppm 475 mg/m³
Sk

WEL = Workplace Exposure Limit
Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Side shield safety glasses are recommended when handling this product.

Hand protection

Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Respiratory protection

For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Appearance | Clear liquid. |
| Colour | Colourless. |
| Odour | Floral. |
| Odour threshold | Not determined. |
| pH | pH (concentrated solution): 6.5 pH (diluted solution): 7 |
| Melting point | Not determined. |
| Initial boiling point and range | 100°C |
| Flash point | Not applicable. |
| Evaporation rate | Not determined. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | 1.0 |

CONTRACT CARPET FOAM SHAMPOO

| | |
|----------------------------------|-------------------|
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not determined. |
| Auto-ignition temperature | Not determined. |
| Viscosity | Not determined. |
| Explosive properties | Not applicable. |
| Oxidising properties | Not applicable. |

9.2. Other information

| | |
|--------------------------|-------|
| Other information | None. |
|--------------------------|-------|

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|-------------------|---|
| Reactivity | There are no known reactivity hazards associated with this product. |
|-------------------|---|

10.2. Chemical stability

| | |
|------------------|---|
| Stability | Stable at normal ambient temperatures and when used as recommended. |
|------------------|---|

10.3. Possibility of hazardous reactions

| | |
|---|-----------------|
| Possibility of hazardous reactions | Not determined. |
|---|-----------------|

10.4. Conditions to avoid

| | |
|----------------------------|---|
| Conditions to avoid | Protect from freezing and direct sunlight. Store in closed original container at temperatures between 5°C and 30°C. |
|----------------------------|---|

10.5. Incompatible materials

| | |
|---------------------------|--|
| Materials to avoid | Strong oxidising agents. Strong acids. Strong alkalis. |
|---------------------------|--|

10.6. Hazardous decomposition products

| | |
|---|---|
| Hazardous decomposition products | Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Sulphur dioxide. Sulphuric acid (H ₂ SO ₄). |
|---|---|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|------------------------------|---|
| Toxicological effects | Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation. Possible mild irritation of digestive tract from detergent component. Ingestion may cause: Nausea, vomiting. Diarrhoea. |
|------------------------------|---|

Acute toxicity - oral

| | |
|-------------------------|-----------|
| ATE oral (mg/kg) | 13,574.66 |
|-------------------------|-----------|

Skin corrosion/irritation

| | |
|----------------------------------|---|
| Skin corrosion/irritation | Prolonged or repeated exposure may cause the following adverse effects: skin irritation and dermatitis. |
|----------------------------------|---|

Serious eye damage/irritation

| | |
|--------------------------------------|---|
| Serious eye damage/irritation | Causes serious eye damage. May cause severe eye irritation. |
|--------------------------------------|---|

Skin sensitisation

| | |
|---------------------------|--|
| Skin sensitisation | Contains Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one |
|---------------------------|--|

Germ cell mutagenicity

CONTRACT CARPET FOAM SHAMPOO

Genotoxicity - in vivo No effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

Toxicological information on ingredients.

Sulfuric acid, mono-C12-14 (even numbered) alkyl esters, ammonium salts

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,800.0

Species Rat

ATE oral (mg/kg) 1,800.0

Sulfuric acid, C12-14-alkyl (even numbered) esters, sodium salts

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,800.0

Species Rat

SECTION 12: Ecological Information

12.1. Toxicity

Ecological information on ingredients.

Sulfuric acid, C12-14-alkyl (even numbered) esters, sodium salts

Acute toxicity - fish LC₅₀, : 3.6 mg/l,

Acute toxicity - aquatic invertebrates EC₅₀, : 4.7 mg/l,
NOEC, : 0.508 mg/l,

Acute toxicity - aquatic plants IC₅₀, 72 hours: >20 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

CONTRACT CARPET FOAM SHAMPOO

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

None.

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

CONTRACT CARPET FOAM SHAMPOO

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|----------------------------------|--|
| General information | Telephone 020 8974 1515 |
| Revision comments | NOTE: Lines within the margin indicate significant changes from the previous revision. |
| Revision date | 27/06/2016 |
| Revision | 6 |
| Supersedes date | 10/06/2016 |
| Signature | Aaron Saunders |
| Please note: | Where abbreviations have been used elsewhere the full text has been written below, for the classification of the product please refer to section 2. |
| Hazard statements in full | H226 Flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction. |

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.